



## Firebird Heavy Duty EC Motor Oil

76® Firebird Heavy Duty EC (Emission Compatible) Motor Oil is an environmentally responsible universal fleet engine oil formulated with greater than 50% high-quality, re-refined base stocks. It has been specially developed to lessen the environmental impact of disposal of used oil. It is designed for use in on-highway diesel trucks, off-highway diesel equipment, farm equipment and light trucks with diesel engines. It is fully licensed by the API and meets the performance requirements of a wide variety of diesel and gasoline engine manufacturers.

Firebird Heavy Duty EC meets or exceeds the requirements of API Service Categories CJ-4, CI-4, CH-4, CG-4 and SM. It also meets the performance requirements of leading OEM specifications, including Caterpillar ECF-3, Cummins CES 20081, Mack EO-O Premium Plus and Volvo VDS-4. It will provide excellent protection in conventional and EGR-equipped diesel engines, and can be used in diesel engines equipped with diesel particulate filters (DPFs).

### **Applications**

- On-highway diesel trucks equipped with exhaust aftertreatment devices such as diesel particulate filters and oxidation catalysts to meet 2007 exhaust emission standards
- Diesel engines equipped with EGR, ACERT or other emissions control technologies to meet 2004 and earlier exhaust emission standards
- Older diesel equipment with conventional, non-EGR engines
- Off-highway construction, earth moving and mining equipment
- Farm equipment with diesel or gasoline engines

Firebird Heavy Duty EC meets or exceeds the requirements of:

- API Service CJ-4, CI-4, CH-4, CG-4, SM
- API CI-4 PLUS
- Caterpillar ECF-3, ECF-2, ECF-1a
- Cummins CES 20081
- Detroit Diesel Power Guard 93K218
- Mack EO-O Premium Plus
- Mercedes-Benz Sheet 228.3
- MTU MTL 5044 Type 2
- Volvo VDS-4

**API CJ-4 Diesel  
Engine Oil  
Formulated With  
Re-refined Base  
Stocks**

**Customer Service  
Number:  
1-888-766-7676**

**Technical Hot Line:  
1-800-435-7761**

**E-mail Address:  
*76lubricants@  
conocophillips.com***

***www.76Lubricants.com***

**600 N. Dairy Ashford • 2W9000 • Houston, TX 77079**



- Diesel engines manufactured by OEMs not listed above, including International (Navistar), John Deere, Hino, Komatsu, Kubota and others

### ***Features/Benefits***

- Excellent protection for 2007 emissions-compliant engines and older diesel engines
- Specially formulated to protect exhaust aftertreatment devices
- Protects against particulate filter plugging
- Excellent soot control for protection against abrasive wear and soot-induced oil thickening
- Excellent resistance to viscosity and thermal breakdown at high temperatures
- Protects against sludge and varnish formation
- Protects against wear
- Protects against rust and bearing corrosion
- Good resistance to foaming and aeration
- Lessens the environmental impact of used oil disposal

---

Due to continual product research and development, the information contained herein is subject to change without notification.

---

Copyright © 2008 ConocoPhillips Company. The ConocoPhillips logo, 76 and the 76 logo are trademarks of ConocoPhillips Company in the U.S.A. and other countries.



## Firebird Heavy Duty EC Motor Oil

### Typical Properties

SAE Grade	15W-40
Specific Gravity @ 60°F	0.877
Color, ASTM D1500	L 4.0
Flash Point (COC), °C (°F)	238 (460)
Pour Point, °C (°F)	-31 (-24)
Viscosity, Kinematic	
cSt @ 40°C	116
cSt @ 100°C	15.4
Viscosity Index	139
Cold Cranking Viscosity, cP @ -20°C	6,400
High-Temp/High-Shear Viscosity, cP @ 150°C	4.1
Sulfated Ash, ASTM D874, wt %	0.99
Total Base Number (TBN), ASTM D2896	9
Zinc, wt %	0.134
Base Oil, Re-refined Content, wt %	>50

### Health and Safety Information

For recommendations on safe handling and use of this product, please refer to the Material Safety Data Sheet via <http://w3.conocophillips.com/NetMSDS>.

Due to continual product research and development, the information contained herein is subject to change without notification.

Copyright © 2008 ConocoPhillips Company. The ConocoPhillips logo, 76 and the 76 logo are trademarks of ConocoPhillips Company in the U.S.A. and other countries.